Epidemiology of HIV/AIDS Seattle-King County, WA



HIV/AIDS Epidemiology Program
Public Health - Seattle & King Co.
(206) 296-4645

On the web at www.metrokc.gov/health/apu/epi

Objectives of this slide series

- AIDS epidemiology in King County
 - Overall trends
 - Grouped data: exposure modes, gender, age, race/ethnicity
 - Including recent HIV data
- Estimates of local HIV prevalence

HIV/AIDS Epidemiology Program Goals

- Assess the prevalence and incidence of HIV & AIDS; study and interpret patterns of the epidemic
- Fulfill legal mandate for case reporting
- Provide this information to guide planning and evaluation of prevention, care, and social services
- Work in partnership with the community

HIV/AIDS Epidemiology Seattle-King County, WA

Cumulative Incidence of AIDS December 31, 2000


	King Co.	WA State	U.S. *
 Adult/Adolescent 	6,081	9,386	745,103
• Pediatric (<13 yrs)	15	33	8,804
 TOTAL CASES 	6,096	9,419	753,907
Deaths	3,575 (59%)	5,351 (<i>57%</i>)	438,795 (58%)

*U.S. data as of 6/30/00




AIDS in Washington State by County


December 31, 2000 - N= 9419



AIDS Cases by Residence at Diagnosis Washington State, 1986-2000 N=9,419




AIDS Cases by Residence at Diagnosis King County, 1986-2000 N=6,096



AIDS Cases by Year of Diagnosis

King County, 1982-2000 N=6096




* Adjusted for reporting delay



AIDS Cases by Gender Geographic Comparison, 1997-1999



Trends in AIDS Cases by Gender and Year King County, 1986-2000




AIDS Cases by Gender and Year of Dx King County, 1986-2000

Percent in Men


100 90 80 70 60 86 88 90 92 94 96 98 '00 Year

Percent in Women






HIV/AIDS Cases by Gender Early AIDS vs. recent AIDS and HIV cases, King County




AIDS Cases by HIV Exposure Mode King County, 1983-2000




Trends in AIDS Cases by Exposure Mode

(cases with known risk) King County, 1986-2000 - N=5,860




Trends in AIDS Cases by Exposure Mode

(cases with known risk) King County, 1986-2000 - N=5,860




HIV/AIDS Cases by Exposure Mode

Early AIDS vs. recent AIDS and HIV cases, King County



HIV/AIDS Cases by Age at Diagnosis Early AIDS vs. recent AIDS and HIV cases, King County





Cumulative AIDS cases by race/ethnicity King County, 1982-2000

Number of Cases



Racial/Ethnic Composition of King County

1997 Population: 1,652,775

	King Co. t <u>side Seattle</u>	City of <u>Seattle</u>	Total <u>King Co.</u>
White, non-Hispanic	85%	68%	79%
African American, non-Hispanic	3%	11%	5%
Hispanic	4%	5%	4%
Asian/Pacific Islander	8%	15%	10%
American Indian/AK Native	1%	1%	1%

Population Distribution


City of Seattle: 32%

Incorporated Cities: 41%

Unincorporated Areas: 27%



Ave. annual AIDS rates by race/ethnicity King County, 1997-1999



■ White


■ African Am

■ Hispanic

■ Asian/PI


☐ Am. Indian/AK Native

AIDS Cases by Race and Year King County, 1986-2000



HIV/AIDS Cases by Race/Ethnicity


Early AIDS vs. recent AIDS and HIV cases, King County



Deaths of Reported AIDS Cases by Year

King County, 1982-2000


N=3,575




*Provisional data due to delayed ascertainment of deaths outside of King County



Persons Alive with AIDS at Year's End & Deaths per Year, King County, 1994-2000




Leading Causes of Deaths for Males Age 25-44 -- King County, 1988-98





Leading Causes of Death for Females Age 25-44, King County



Summary of Key Points (1) King County HIV/AIDS

- Most new cases continue to be White males, infected through male-to-male sex, but
- % of cases infected by IDU and heterosexual sex may be increasing
- Increasing % of AIDS cases are women
- Increasing % of AIDS cases are people of color

Summary of Key Points (2) King County HIV/AIDS

- Dramatic decrease in deaths since 1995
- Number of people living with AIDS in KC increases each year

Estimating HIV Prevalence

Estimating HIV Prevalence in King Co.

- We have no direct measurement of the number of people with HIV infection in King County (or elsewhere)
- Prevalence in the County dependent on inflow (new HIV infections, in-migration) and outflow (deaths, out-migration)
 - Except for deaths, all are difficult to measure

Estimating HIV Prevalence: Methods

- Back-calculation: # AIDS cases used to extrapolate back to # HIV cases needed generate AIDS
 - Needs a consistent case series -- major changes in case definition of AIDS causes problems
 - Needs consistent progression rate from HIV to AIDS this has changed substantially with HAART

Estimating HIV Prevalence: Methods (2)

- Extrapolation from the state-wide Survey of Childbearing Women
 - HIV status of all women giving birth was established anonymously via routine screening of neonates
 - Assumed the ratio of male:female AIDS equaled ratio of male:female HIV; fertility adjustment
 - Survey stopped by federal mandate in 1995

Estimating HIV Prevalence: Methods (3)

- ♦ HIV case surveillance data can be used if:
 - Complete reporting of HIV+ persons receiving health care (or good estimate of reporting fraction & reporting delay)
 - Estimate of % of HIV infections that are diagnosed
 - Estimate of % of HIV + testing anonymously and not receiving health care (and therefore not reportable)
 - Knowledge of in- and out-migration

Estimating HIV Prevalence: Methods (4)

- Sampling and enumeration of cases
 - Requires rigorous statistical methods to allow valid extrapolation to overall HIV-infected population

Current estimates of the number of HIV infections in King County (1)

- **◆ 7,500** (range 6,000 9,000)
- Estimate was derived from:
 - CDC's backcalculation estimates of U.S. infections x
 proportion of U.S. AIDS cases in King County (1995-96)
 - extrapolation of Survey of Childbearing Women (1995)
 - a "components" analysis by CDC (1996)

Current estimates of the number of HIV infections in King County (2)

- Survey of HIV Disease and Care (SHDC)
 - New method recently piloted in King county by CDC and Public Health used 2-stage cluster sample of clinics and health care providers
 - Estimated 4,358 HIV+ persons in care (1998)
 - » If 75% of HIV+ in care: 5,810 total HIV+
 - » If 60% of HIV+ in care: 7,263 total HIV+

Current estimates of the number of HIV infections in King County (3)

- 4,225 persons alive with HIV or AIDS as per Public Health reports received as of 4/19/01
 - Assuming completeness of AIDS data at 90%
 & HIV at 70%, then <u>5,202 HIV+ in care</u>
 (2,626/0.9 AIDS) + (1,599/0.7) = 5,202
 - » If 75% of HIV+ are in care: 6,936 total HIV+
 - » If 60% of HIV+ are in care: 8,670 total HIV+

Comparison of Est. HIV Infections in King Co. 1995-96 and 2001

Category	% of persons living with HIV/AIDS **	Range of estimated HIV infections in 1995-96*	Range of estimated HIV infections in 2001*	Change in estimate 1995-2001
Gender				
Males, all		5,650-8,450		Decrease
Females, all				Increase
HIV exposure				
MSM				Decrease
IDU (heterosexual)				No change
MSM/IDU				No change
Hetero. Contact				Increase
				Increase
Other or unknown				
Race/ethnicity				
White, non-Hisp.				Decrease
Black, non-Hisp.	14			Increase
Hispanic				Increase
Asian/Pacific Is.	2		120-180	Increase
Am. Ind./AK Nat.	2		120-180	Increase
TOTAL		6,000 - 9,000	6,000 - 9,000	No change

^{*}Numbers of individual categories may not equal total because of rounding.

^{**}Percent of presumed living HIV and AIDS cases in King County reported to Public Health through 3/7/01.

Summary of current estimates of prevalent HIV infections in King County

- ◆ Total 7,500 (range 6,000 9,000)
 - Gender
 - » 91% male, 9% female
 - Exposure Mode
 - » 70% MSM, 10% MSM/IDU, 7% IDU, 5% Heterosexual
 - Race/ethnicity
 - » 74% White, 14% Black, 8% Hispanic, 2% A/PI, 2% Am Ind/NA